

Moon Star

HSN HOTEL PRODUCTS PRIVATE LIMITED

☎ +91 0522-4529729, +91 8853211111, +91 9984888844

✉ moonstarsuresh@gmail.com, moonstarhritvik@gmail.com

📍 B-161, NIRALA NAGAR, LUCKNOW, UTTAR PARDESH - 226020

🌐 www.hsnhotelproducts.com



2024

KITCHEN EQUIPMENT

Product Brochure



目录 | CATALOGUE

01-06	柜式豪华组合炉 Luxury Cabinet Oven
07-21	商用炸炉 Electric&Gas Fryer
22	滤油车 Oil Filter Cart
23-30	商用扒炉 Electric Griddle
31-33	压板扒炉 Panini Sandwich Grill
34	班戟炉 Crepe Maker
35	燃气烧烤炉 Gas BBQ Grill
36-40	美式组合炉
41	汉堡机 Bun Toaster
41-42	面火炉 Electric Salamander
43	多士炉 Electric Toaster
44	热狗机 Hot Dog Roller Grill
45	热狗面包机 Hot Dog Bun Warmerr

46-59	华夫机 Waffle Maker
60	棉花糖机 Candy Floss Maker
61	爆米花机 Popcorn Maker
62-67	保温汤池 Electric Bain Marie
68-69	巧克熔化机 Chocolate Melter
70	汤堡 Electric Soup Kettles
71-72	酱汁保温机 Sauce Cheese Warmer
72	酱汁泵 Condiment Dispenser
73	薯条工作站 French Fry Warmer Station
74	食物保温灯 Food Heat Lamp
75	食物保温柜 Food Warmer
76	慢煮机 Sous Vide
76	保温餐车 Food Warmer Trolley

77	暖杯/暖碟机 Cup / Plate Warmer
78	燃气烧烤炉 Gas Shawarma Grill
79	切片机 Kebab Slicer
80	开水器 Water Boiler
81	咖啡机 Coffee Maker
82	煮面炉 Pasta Cooker
83	奶昔机 Milk Shaker
84	刀叉消毒箱 Knife Steriliser
85	腌制机 Vacuum Tumbler
86-87	真空包装机 Vacuum Machine
88-91	披萨炉 Electric Pizza Oven
92-97	热风循环炉 Convection Oven
98-99	烤箱 Gas Oven / Electric Oven

100-101	醒发箱 Electric Proofer
102-103	多功能烤箱 Multifunction Oven
104	燃气旋转烤箱 Gas Rotary Oven
105	汉堡机 Hamburger Machine
105	蒸饭柜 Rice Cooker
106	电磁炉 Induction Cooker
107	电饭煲 Rice Cooker
108	砂锅烤炉 Casserole Oven
108	锅炉 Cauldron Cooker
108-109	炒菜机 / 汤炉 Stir Fryer / Soup Stove
108-109	油烟净化器 Fume Cleaning Machine
110	铁板烧 Teppanyaki
110	摇摆式汤炉 Swinging Soup Oven

柜式豪华 组合炉

Luxury Cabinet Oven



MODEL EG-800EM



MODEL ECS-4



MODEL EF-500EM



MODEL LEF-30L



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EG-800EM	380V+N	8	/	800*800*800+120
ECS-4		3.5X4	/	750*800*800+120

MODEL EPC-6EM



MODEL LEPC6-14



MODEL GPC-6EM



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-500EM	380V+N	8	30	500*800*800+120
LEF-30L		9	30	470*800*800+120
EPC-6EM		6+6	/	500*800*800+120
LEPC6-14		6+6	/	590*800*800+120
GPC-6EM	2800/2000Pa	12	/	750*450*800+120

MODEL EC-50EM



MODEL HW-500EM



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EC-50EM	380V+N	8	/	700*800*800+120
HW-500EM		8	80	700*800*800+120

电炸炉 | Electric Fryer



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EF-702	380V/50~60Hz	6+6	800*700*850
EF-602	380V/50~60Hz	6+6	600*600*850

双缸煮面炉 | Pasta Cooker



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
NC-702	380V/50~60Hz	6+6	800*700*850
NC-602	380V/50~60Hz	6+6	600*600*850

电扒炉 | Electric Griddle



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EG-700L	380V/50~60Hz	6+6	800*700*850
EG-600L	380V/50~60Hz	6+6	600*600*850

电磁炉 | Induction Cooker



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EM-700	380V/50~60Hz	4*3	800*700*850
EM-600	380V/50~60Hz	4*3	600*600*850

汤池 | Electric Bain Marie



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
BM-700	220V/50~60Hz	6+6	800*700*850
BM-600	220V/50~60Hz	6+6	600*600*850

煲仔炉 | Gas Burner



型号/Model	气压/Pressure	Used Gas	尺寸/Size(mm)
GS-700	2800/2000PA	LPG/Natural Gas	800*700*850
GS-600	2800/2000PA	LPG/Natural Gas	600*600*850

工作台 | Work Table



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WT-407	/	/	400*700*330
	/	/	400*700*850
WT-406	/	/	400*600*330
	/	/	400*600*850



电炸炉 | Electric Fryer



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EF-702T	380V/50~60Hz	6+6	800*700*330
EF-602T	380V/50~60Hz	6+6	600*600*330

双缸煮面炉 | Pasta Cooker



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
NC-702T	380V/50~60Hz	6+6	800*700*330
NC-602T	380V/50~60Hz	6+6	600*600*330

电扒炉 | Electric Griddle



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EG-700LT	380V/50~60Hz	6+6	800*700*330
EG-600LT	380V/50~60Hz	6+6	600*600*330

电磁炉 | Induction Cooker



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EM-700T	380V/50~60Hz	4*3kw	800*700*330
EM-600T	380V/50~60Hz	4*3kw	600*600*330

汤池 | Electric Bain Marie



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
BM-700T	220V/50~60Hz	6+6	800*700*330
BM-600T	220V/50~60Hz	6+6	600*600*330

煲仔炉 | Gas Burner



型号/Model	气压/Pressure	Used Gas	尺寸/Size(mm)
GS-700T	2800/2000PA	LPG/Natural Gas	800*700*330
GS-600T	2800/2000PA	LPG/Natural Gas	600*600*330

单柜 | Single Cabinet



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
UCT-406	/	/	400*600*560
UCT-405	/	/	400*500*560

双柜 | Double Cabinet



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
UCT-800	/	/	800*600*560
UCT-600	/	/	600*500*560

商用炸炉

Commercial Fryer

电炸炉 | Electric Fryer

- Stainless steel **heating tube** provide quick heat-up
- **Stainless steel 201 structure** ensure longer life
- **The 392°F (200°C)** thermostat internal wiring
- Lid prevents boiling oil from splashing
- Durable Frying pan basket with handle for safe operation
- **Non-skid rubber feet** prevent slipping
- Easy-to-remove oil pan
- Internal **micro-switch** disconnects power when element box is removed



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-81	220-240V/ 50~60Hz	3	10	280*436*310
EF-82		3+3	10+10	570*435*310
EF-83		3+3	20	550*440*320

MODEL EF-81



MODEL EF-82



MODEL EF-83



Easy-to-remove oil pan



Stainless steel heating tube
provide quick heat-up



Stainless steel frying basket
with handle for safe operation



Safety temperature limiter-Au-
tomatic thermal overload
shutoff for safety

电炸炉 | Electric Fryer

- Stainless steel heating tube provide quick heat-up
- Durable Frying pan basket with handle for safe operation
- Stainless steel 201 structure ensure longer life
- The 392°F (200°C) thermostat internal wiring
- Lid prevents boiling oil from splashing
- Easy-to-remove oil pan



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-101	220-240V/ 50-60Hz	3	10	280*430*270
EF-102		3+3	10+10	565*430*270
EF-061		2	6	190*440*280
EF-081		2	8	190*440*320
EF-062		2+2	6+6	380*440*280
EF-082		2+2	8+8	380*440*320

MODEL EF-101



电炸炉 | Electric Fryer

- Stainless steel heating tube provide quick heat-up
- Stainless steel 201 structure ensure longer life
- The 392°F(200°C) thermostat internal wiring
- Lid prevents boiling oil from splashing
- Easy-to-remove oil pan



MODEL EF-4L



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-4L	220-240V/50-60Hz	2.5	4	217*385*310
EF-6L		3	6	265*420*290
EF-8L		3	8	265*415*330
EF-11L		3	11	275*475*350

MODEL EF-8LV

MODEL EF-4L-2



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-4L-2	220-240V/50-60Hz	2.5+2.5	4+4	443*385*310
EF-6L-2		3+3	6+6	550*410*290
EF-8L-2		3+3	8+8	545*410*330
EF-11L-2		3+3	11+11	570*475*350
EF-8LV	220-240V/50-60Hz	3	8	270*485*405
EF-8LV-2		3+3	8+8	550*485*405



EF-102



EF-062



Rotating fryer head,Easy to clean



Easy-to-remove oil pan



Can block food residue, effectively increase the life of the heating tube

MODEL EF-061



电炸炉 | Electric Fryer

- **Stainless steel heating tube** provide quick heat-up
- Durable Frying pan **basket** with handle for safe operation
- **Stainless steel 201 structure** ensure longer life
- The 392°F (200°C) **thermostat** internal wiring
- **Lid** prevents boiling oil from splashing
- **Non-skid rubber feet** prevent slipping



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity	尺寸/Size(mm)
EF-101V	220-240V/ 50~60Hz	3	10L	279*470*349
EF-131V		3	13L	310*485*350
EF-161V		3	16L	340*560*380
EF-102V	220-240V/ 50~60Hz	3+3	10L+10L	570*470*345
EF-132V		3+3	13L+13L	630*475*358
EF-162V		3+3	16L+16L	690*560*380
EF-101N	220-240V/ 50~60Hz	3	10L	280*470*330
EF-102N		3+3	10L+10L	565*420*327
WT-01	/	/	/	370*450*800
WT-02		/	/	730*450*800

MODEL EF-101V



MODEL WT-01 Base cabinet for fryer



MODEL EF-102V



电炸炉 | Electric Fryer

- **Stainless steel heating tube** provide quick heat-up
- Durable Frying pan **basket** with handle for safe operation
- **Stainless steel 201 structure** ensure longer life
- The 392°F (200°C) **thermostat** internal wiring
- **Lid** prevents boiling oil from splashing
- **Non-skid rubber feet** prevent slipping



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
EF-161VW	380V/50~60Hz	5kw	16L	360*500*400
EF-162VW	380V/50~60Hz	5kw+5kw	16L+16L	730*500*400
EF-21L	380V/50~60Hz	6kw	21L	347*700*510
EF-21L-2		6kw+6kw	21L+21L	675*700*510
EF-21L-2F		9kw+9kw	21L+21L	676*678*1181
EF-700ZSF-1	220/380V 50Hz	5kw	13L	400*700*460
EF-700ZSF-2		5kw+5kw	13L+13L	800*700*460

MODEL EF-21L-2F



MODEL EF-700ZSF-1



MODEL EF-700ZSF-2



MODEL EF-161VW



MODEL EF-21L



MODEL EF-21L-2



电炸炉 | Electric Fryer

- Durable Frying pan basket with handle for safe operation
- Stainless steel 201 structure ensure longer life
- The 392°F (200°C) thermostat internal wiring
- Lid prevents boiling oil from splashing
- Non-skid rubber feet prevent slipping

MODEL EF-45V



MODEL EF-201S



MODEL EF-25



MODEL EF-201V



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EF-201S	380V/50~60Hz	4.8	30	590*525*915
EF-301S		6	38	606*575*915
EF-45V		7.5	45	590*670*1010
EF-25	380V/50~60Hz	9	25	715*585*420
EF-201V	380V/50~60Hz	4.8	30	590*525*355
EF-301V		6	38	603*575*405

电炸炉 | Electric Fryer

- **Stainless steel heating tube** provide quick heat-up
- Durable Frying pan **basket** with handle for safe operation
- **Stainless steel 201 structure** ensure longer life
- The 392°F (200°C) **thermostat** internal wiring
- **Lid** prevents boiling oil from splashing
- **Non-skid rubber feet** prevent slipping
- **Drain valve** for easy draining and cleaning

MODEL EF-26VC



MODEL EF-161VC



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity	尺寸/Size(mm)
EF-161VC	380V/50~60Hz	5	16L	358*530*915
EF-162VC		5+5	16L+16L	730*530*890

MODEL EF-26-2



MODEL EF-162VC



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity	尺寸/Size(mm)
EF-26VC	380V/50~60Hz	10	21L	420*830*1080
EF-26-2		10+10	21L+21L	800*830*1080

电炸炉 | Electric Fryer

- Stainless steel structure
- Precise thermostat control
- Maximum and minimum oil level marks
- Safety overtemperature cut-off
- Insulating basket handle
- More convenient way to drain oil.



Model - E : Digital control panel

MODEL XC-D17L



MODEL EF-23L-E



MODEL EF-12L



MODEL LEF-8L



MODEL EF-23L-F



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
EF-12L	220/380V 50Hz	4kW	12L	505*380*480
EF-17L-E		5kW	17L	550*595*945
EF-23L-E	380V/50~60Hz	9kW	23L	550*600*1000
EF-23L-F		9kW	23L	550*600*1000
LEF-8L	220V/50Hz	3kW	8L	280*480*390

电炸炉 | Electric Fryer

- Stainless steel structure
- Precise thermostat control
- Maximum and minimum oil level marks
- Safety overtemperature cut-off
- Insulating basket handle
- More convenient way to drain oil.
- There is a large storage space



MODEL EFS-DP-1



MODEL EFS-DP-2



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
EFS-DP-1	220/380V 50Hz	6	21	1150*735*950
EFS-DP-2		6+3	21+15	1500*735*950

自动升降电炸炉
Automatic Lifting Electric Fryer

- Frying net material are stainless steel wire
- Heat pipe material for the 304 stainless steel shell, 8mm diameter
- The body material is 0.8mm 201 stainless steel
- Oil basin material 1.0mm 304 stainless steel



Model		EF-12L	EF-18L
Voltage	V / HZ	220V/50Hz	220V/50Hz
Power	W	3000	3000
Capacity	L	12	18
Temperature range	℃	50℃-200℃	50℃-200℃
Temperature limit	℃	240℃	240℃
Size of frying net	mm	205*240*175	277*245*150
Oil cylinder size	mm	270*325*200	330*306*200
Product size	mm	270*585*390	355*585*395
Carton	mm	672*360*598	672*445*598
NW/GW	kg	16/17.8	20/22.2

MODEL EF-12L



燃气炸炉 | Gas Fryer

Units ship natural gas or liquid propane gas (LPG) (please specify when ordering)

Flameout protection,automatically cut off gas under flame-out.

Stainless steel 201 structure ensure longer life

Durable Frying pan basket with handle

Stainless Steel Feet



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity(L)	尺寸/Size(mm)
MGF3	2800/2000Pa	LPG/Natural Gas	20	394*779*1137
MGF4			23	394*779*1137
MGF5			42	534*870*1137

新款节能自动升降电炸炉
Energy-saving Automatic Lifting Electric Fryer

- With timer (1s-99min59s) .12 menu
- Digital computer panel control
- Stainless steel 304# heater
- Oil tank material :1.0-1.2mmthicker 304SUS
- Machine's body material :0.8-1.2mm thicker



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity	尺寸/Size(mm)
EFSJ-18-1TS	380V/50Hz	18	24L	400*830*1120
EFSJ-9-1TS	220V/50Hz	9	24L	400*830*1120
EFSJ-18-2TS	380V/50Hz	18	12+12L	400*830*1120
EFSJ-9-2TS	220V/50Hz	9	12+12L	400*830*1120
EFSJ-18-2S	380V/50Hz	18	12+12L	400*830*1120
EFSJ-18-1S	380V/50Hz	18	24L	400*830*1120
EFSJ-9-1S	220V/50Hz	9	24L	400*830*1120

MODEL EFSJ-9-1TS



燃气炸炉 | Gas Fryer

- Units ship natural gas or liquid propane gas (LPG) (please specify when ordering)
- Stainless steel 201 structure ensure longer life
- Durable Frying pan basket with handle
- Flameout protection,automatically cut off gas under flame-out.
- Precision imported thermostat
- With Stainless Steel legs



型号/Model	气压/Pressure	Used Gas	容量/Capacity	尺寸/Size(mm)
GF-12H	2800/ 2000Pa	LPG/ Natural Gas	13L	340*505*450
GF-12H-2			13L+13L	650*505*450
GF-17H			30L	505*580*480
GF-17H-2			30L+30L	980*580*480
GF-23H			23L	550*595*1000

MODEL GF-23H



燃气炸炉 | Gas Fryer

- Units ship natural gas or liquid propane gas (LPG) (please specify when ordering)
- Stainless steel 201 structure ensure longer life
- Durable Frying pan basket with handle
- Flameout protection,automatically cut off gas under flame-out.
- Precision imported thermostat
- With Stainless Steel legs



MODEL GF-181



MODEL GF-12H



MODEL GF-17H



MODEL GF-481



MODEL GF-182



型号/Model	气压/Pressure	Used Gas	容量/Capacity(L)	尺寸/Size(mm)
GF-181	2800/2000Pa	LPG/Natural Gas	17	320*653*562
GF-182			17+17	640*653*562
GF-481			48	420*690*1040
GF-482			48+48	840*690*1040

燃气炸炉 | Gas Fryer

- Stainless steel heating tube provide quick heat-up
- Durable Frying pan basket with handle for safe operation
- Stainless steel 201 structure ensure longer life
- Lid prevents boiling oil from splashing
- Non-skid rubber feet prevent slipping
- Easy-to-remove oil pan



型号/Model	气压/Pressure	Used Gas	容量/Capacity(L)	尺寸/Size(mm)
GF-71	2800/2000Pa	LPG/Natural Gas	10	285*470*480
GF-72			10+10	580*470*480
GF-73			20	580*470*480

MODEL GF-71



MODEL GF-72



MODEL GF-73



Simple ignition switch, Efficient and fast



Non-skid rubber feet prevent slipping



Simple ignition switch, Efficient and fast



Nickel plating frying basket with handle for safe operation

滤油车 | Oil Filter Cart

- Quality pump cycles oil through filter paper
- Low profile design fits under most fryer drains
- Extends the life of oil and improves food quality
- Efficient and effective draining and refilling

Model		OF03	OF48L
Voltage	V / HZ	220 / 50	220 / 50
Power	W	200	550
Capacity	L	48	48
Cylinder size	mm	630*350*230	715*390*220
Oil filter paper size	mm	280*380	/
Spacer box size	mm	345*135	/
Dimension	mm	880*420*340	850*415*615
Carton	mm	900*450*390	850*455*620
Wooden frame	mm	930*480*420	858*490*680
NW	kg	31.2	36.6
GW	kg	35	39.2

MODEL OF48L



MODEL OF03



商用扒炉

Commercial
Electric&Gas Griddle



电扒炉 | Electric Griddle

- Temperature range of 50 to 300 degrees Fahrenheit adjustable.
- Stainless steel 201 structure ensure longer life.
- Upgrade heating tube,rapid heatingdistribute heat evenly,bring you better cooking experience.
- Non-skid rubber feet prevent slipping.
- Products tested to meet EU standards(CE certifiacion).

OPTION

EG-1		EG-2	
EG-3		EG-D	Chrome

MODEL EG-818



MODEL EG-818-2



MODEL EG-818-3



MODEL EG-820-2



MODEL EG-818D



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EG-818	220-240V/50-60Hz	3	550*430*250
EG-818-2			
EG-818-3			
EG-818D			
EG-820	220-240V/50-60Hz	4.4	730*470*250

电扒炉 | Electric Griddle

- Temperature range of 50 to 300 degrees Fahrenheit adjustable.
- **Stainless steel 201** structure ensure longer life.
- **Upgrade heating tube**,rapid heating distribute heat evenly,bring you better cooking experience.
- **Non-skid rubber feet** prevent slipping.
- Products tested to meet **EU standards(CE certifiaction)**.



OPTION

EG-1

EG-2

EG-3

EG-D

Chrome

MODEL EG-360



MODEL EG-548-2



MODEL EG-738



型号/Model	电压/Voltage	功率/Power[kW]	尺寸/Size(mm)
EG-360	220-240V/50~60Hz	2	360*450*220
EG-548	220-240V/50~60Hz	3	555*475*220
EG-738	220-240V/50~60Hz	4.4	735*525*240

MODEL EG-500



电扒炉 | Electric Griddle

- Temperature range of 50 to 300 degrees Fahrenheit adjustable.
- **Stainless steel 201** structure ensure longer life.
- **Upgrade heating tube**,rapid heating distribute heat evenly,bring you better cooking experience.
- **Non-skid rubber feet** prevent slipping.
- Products tested to meet **EU standards(CE certifiaction)**.



OPTION

EG-1

EG-2

EG-3

EG-D

Chrome


型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EG-500	220-240V/50~60Hz	3	500*520*330
EG-600	220-240V/50~60Hz	3	600*520*330
EG-750	220-240V/50~60Hz	5	750*520*330
EG-1000	220-240V/50~60Hz	6	1000*520*330
EG-7070	380V/50~60Hz	9	700*700*300

MODEL EG-600




Stainless Steel heating tube provide quick heat-up

MODEL EG-1000



Stainless Steel heating tube provide quick heat-up




Stainless steel grilling board, rustproof and easy to clean.

电扒炉 | Electric Griddle

- Temperature range of 50 to 300 degrees Fahrenheit adjustable.
- **Stainless steel 201** structure ensure longer life.
- **Upgrade heating tube**,rapid heating distribute heat evenly,bring you better cooking experience.
- **Non-skid rubber feet** prevent slipping.
- Products tested to meet **EU standards**(CE certifiaction).

型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
EG-330	220-240V/50~60Hz	3kw	360*457*310
EG-660	380V/50~60Hz	6kw	660*500*310

OPTION

EG-1		EG-2	
EG-3		EG-D	Chrome

MODEL EG-330



MODEL EG-660



MODEL EGN-550D




型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EGN-300D	220-240V/50~60Hz	2	300*400*260
EGN-550D	220-240V/50~60Hz	2.4	550*430*260
EGN-720D	380V/50~60Hz	4.4	720*460*260

电扒炉 | Electric Griddle

- One **U-shaped burner** per 12" (30 cm)
- Professional safety valve with **flameout protection** makes **ignition safer**
- **Temperature control range** 93℃-232℃
- **Large front desk**, good for quick cooling
- 4 inch height adjustable **stainless steel feet**
- **Large size oil receiving box** with oil spill hole and inner baffle

OPTION

EG-1		EG-2	
EG-3		EG-D	Chrome



MODEL EG-24"



MODEL EG-36"



MODEL EG-48"



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EG-24"	380V/50~60Hz	6.7	873*610*394
EG-36"		10.05	873*914*394
EG-48"		13.4	873*1220*394

燃气扒炉 | Gas Griddle



- Units ship **natural gas (NPG)** or liquid propane gas (LPG) (please specify when ordering).
- Flameout protection**,automatically cut off gas under flame-out.
- Stainless steel 201 structure** ensure longer life.
- Non-skid rubber feet** prevent slipping.
- Products tested to meet **EU standards(CE certifiaction)**.

OPTION

GG-1 GG-2 GG-3 GG-D Chrome

型号/Model	气压/Pressure	Used Gas	尺寸/Size(mm)
GG-360	2800/2000Pa	LPG/Natural Gas	415*570*370
GG-500	2800/2000Pa	LPG/Natural Gas	555*570*370
GG-600			655*570*370
GG-750			805*570*370
GG-900	2800/2000Pa	LPG/Natural Gas	955*570*370
GG-1000			1000*580*345

Precise control of firepower, simple operation

Conveniently collect food residue and keep it tidy

Small drawer can collect residue and oil for easy cleaning

Can dissipate excess heat

MODEL GG-360



MODEL GG-600D



MODEL GG-900



燃气扒炉 | Gas Griddle

- Units ship **natural gas (NPG)** or liquid propane gas (LPG) (please specify when ordering).(please specify when ordering).
- Flameout protection**,automatically cut off gas under flame-out.
- Stainless steel 201 structure** ensure longer life.
- Non-skid rubber feet** prevent slipping.
- Products tested to meet **EU standards(CE certifiaction)**.

OPTION

GGN-1 GGN-2 GGN-3 GGN-D Chrome

型号/Model	气压/Pressure	Used Gas	尺寸/Size(mm)
GGN-500	2800/2000Pa	LPG/Natural Gas	500*580*305
GGN-600			600*580*305
GGN-1000			1000*580*305

Different gear knobs control fire power

Small drawer can collect residue and oil for easy cleaning

Conveniently collect food residue and keep it tidy

Heighten the apron to prevent oil splashing

MODEL GGN-500



MODEL GGN-600



MODEL GGN-1000



压板扒炉

Commercial Panini Sandwich Grill

压板扒炉 | Panini Sandwich Grill

- Grooved plates provide tantalizing grill marks on paninis or sandwiches
- Specialized hinge allows top plate to lay flat for uniform cooking
- Temperature adjusts between 50°C and 300°C to keep up with high-demand
- Stainless steel construction and cast iron plate provides durability
- Removable grease tray included for easy cleaning

OPTION

-  PG-A: Full Ribbed
-  PG-B: Full Smooth
-  PG-C: Half smooth Half Ribbed



MODEL PG-812A PG-400



www.hsnhotelpducts.com



Specialized hinge ensures complete contact and uniform cooking



Removable grease tray it can be removed quickly for cleaning



Humanization Hot - proof handle easy to operate



Cast iron plate non-stick layer, high temperature resistance, easy cleaning

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
PG-811	220~240V/50~60Hz	1.8	305*365*210
PG-812		2.2	430*365*210
PG-400		2.2	540*480*205

MODEL PG-811C



Moon Star

压板扒炉 | Panini Sandwich Grill

- Grooved plates provide tantalizing grill marks on paninis or sandwiches
- Specialized hinge allows top plate to lay flat for uniform cooking
- Temperature adjusts between 50°C and 300°C to keep up with high-demand
- Stainless steel construction and cast iron plate provides durability
- Removable grease tray included for easy cleaning

OPTION

 PG-A: Full Ribbed

 PG-B: Full Smooth

 PG-C: Half smooth Half Ribbed



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
PG-812D	380V/50~60Hz	4.2	845*365*210
PG-813		3.6	565*365*210

MODEL PG-812D



MODEL PG-813A



MODEL PG-813B



电班戟炉 | Electric Crepe Maker

- External shell and grease collector tray are stainless steel.
- Over-heat temperature controller for safety using.
- Grill temperaturesrills are designed may be set for different uses at the same time (double unit).
- Equipped with a rotary button for precise temperature control.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EC-1	220-240V/50~60Hz	3	450*490*220
EC-2		3+3	890*490*220
EC-1N		3	440*440*200

MODEL EC-2



MODEL EC-1



MODEL EC-1N



燃气班戟炉 | Gas Crepe Maker

Model	Pressure	Used Gas	Size(mm)
GC-1	2800/2000Pa	LPG/Natural Gas	450*490*260
GC-2			890*490*260



Gas regulator to control the fire from Min to Max



Non-stick cooking plate

MODEL GC-1



MODEL GC-2



MODEL GG-1102A



燃气烧烤炉 | Gas BBQ Grill

- Units ship **natural gas (NPG)** or **liquid propane gas (LPG)** (please specify when ordering).
- **Flameout protection**,automatically cut off gas under flame-out.
- **Stainless steel 201 structure** ensure longer life.
- **Upgrade heating tube**,distribute heat evenly,bring you better cooking experience.
- **Non-skid rubber feet** prevent slipping.
- Each machine undergoes **air leak test** before delivering to ensure customer safety.



Product details



型号/Model	Bumer	Heat Input(kw)	Used Gas	尺寸/Size(mm)
GG-1102A	2pcs	10	LPG Or Natural Gas	700*560*310
GG-1103A	3pcs			
GG-1102B	2pcs			
GG-1103B	3pcs			

MODEL GG-1102B



MODEL GG-1103B



美式组合炉

New Design



燃气扒炉 | Gas Griddle

- per 12 "(30 cm) a U-shaped burner, a normally upright fire
- 3/4" thickness grilling board
- Large front desk, good for quick cooling
- 4 inch height adjustable stainless steel feet
- Large size oil receiving box with oil spill hole and inner baffle



MODEL MGG12-M



型号/Model	气压/Pressure	Used Gas	尺寸/Size(mm)
MGG12-M	2800/2000Pa	LPG/Natural Gas	305*830*393
MGG24-M			610*830*393
MGG36-M			915*830*393
MGG48-M			1220*830*393
MGG12-MF			305*830*900
MGG24-MF			610*830*900
MGG36-MF			915*830*900
MGG48-MF			1220*830*900



MGG12-MF MGG24-MF MGG36-MF

燃气烤炉 | Gas Lava Rock Grill

- One U-shaped burner per 12" (30 cm)
- Normal open flame manual ignition
- Large front desk, good for quick cooling
- 4 inch height adjustable stainless steel feet
- Full size slag tray



MODEL MGL12-M



型号/Model	气压/Pressure	Used Gas	功率/Power(kW)	尺寸/Size(mm)
MGL12-M	2800/2000Pa	LPG/Natural Gas	10.3	305*830*388
MGL24-M			20.6	610*830*388
MGL36-M			30.9	915*830*388
MGL48-M			41.2	1220*830*388
MGL12-MF			10.3	305*830*900
MGL24-MF			20.6	610*830*900
MGL36-MF			30.9	915*830*900
MGL48-MF			41.2	1220*830*900




MGL12-MF MGL24-MF MGL36-MF


煲仔炉 | Gas Burner

- Stainless steel 201 structure ensure longer life
- Flameout protection,automatically cut off gas under flame-out.
- Electronic ignition needle, high-quality combustion valve
- Units ship natural gas or liquid propane gas (LPG) (please specify when ordering)
- Control the flame easily by adjusting the damper
- Stainless steel feets, safe and firm

OPTIPN



型号/Model	气压/Pressure	Used Gas	No. of Burners	尺寸/Size(mm)
GB-1	2800/2000Pa	LPG/Natural Gas	1	650*456*660
GB-2			2	1350*456*660
MGB12-M			2	305*830*328
MGB24-M			4	610*830*388
MGB36-M			6	915*830*328
MGB48-M			8	1220*830*328
MGB12-MF			2	305*830*900
MGB24-MF			4	610*830*900
MGB36-MF			6	915*830*900
MGB48-MF			8	1220*830*900




MGB12-MF MGB24-MF MGB36-MF

煲仔炉 | Gas Burner

- Stainless steel 201 structure ensure longer life
- Flameout protection,automatically cut off gas under flame-out.
- Electronic ignition needle, high-quality combustion valve
- Units ship natural gas or liquid propane gas (LPG) (please specify when ordering)
- Control the flame easily by adjusting the damper
- Stainless steel feets, safe and firm

OPTIPN



型号/Model	气压/Pressure	Used Gas	No. of Burners	尺寸/Size(mm)
GB-2T	2800/2000Pa	LPG/ Natural Gas	2	700*450*400
GB-2H			2	670*400*400
GB-3T			3	1040*450*400
GB-4T			4	700*790*400



MODEL GB-4T



MODEL GB-2H



MODEL GB-2T



MODEL GB-3T



汉堡机 | Bun Toaster

- Adjustable conveyor speed control for ideal bun toasting level
- Auto-adjusting conveyor for various sizes of buns or bagels

Model		HBV-1
Voltage	V / HZ	220~240V/50Hz
Power	W	2000
Capacity	L	48
Packing Size	mm	520*350*650
Dimension	mm	460*350*610
NW	kg	23.1
GW	kg	24.85

MODEL HBV-1



面火炉 | Electric Salamander

- U-shaped heating tube provide more quick and evenly heat-up
- Antirust SS201 structure ensure longer life
- Green light indicates power on; Orange light indicates heating
- Lifting design can be adjusted up and down at will, which is convenient for roasting delicious food.
- Heat dissipation hole can efficiently thermally heat and lengthen service life
- Large area barbecue location easily deal with the large passenger flow, so that customers will not wait long.
- Non-skid rubber feet prevent slipping



Model	Voltage	Power(KW)	Size(mm)
ES-450L	220-240V/50~60Hz	2.8	450*520*520
ES-600L		4	600*520*520
ES-800L		5.6	800*520*520

MODEL ES-450L



面火炉 | Electric Salamander

- U-shaped heating tube provide more quick and evenly heat-up
- Antirust SS201 structure ensure longer life
- Green light indicates power on; Orange light indicates heating
- Lifting design can be adjusted up and down at will, which is convenient for roasting delicious food.
- Heat dissipation hole can efficiently thermally heat and lengthen service life
- Large area barbecue location easily deal with the large passenger flow, so that customers will not wait long.
- Non-skid rubber feet prevent slipping

MODEL QTO-260



MODEL ES-938



MODEL ES-936




型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
ES-936	220-240V/ 50~60Hz	2	610*350*280
ES-937		4	790*495*460
ES-938		2.2	580*435*380
QTO-260		2	440*280*310
QTO-360		3.15	440*300*405


型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
MET-150	220-240V/ 50-60Hz	1.35	288*418*387
MET-300		2.25	368*418*387
MET-450		2.65	468*418*387
ET-4		1.8	315*270*220
ET-6		2.5	410*270*220




MODEL MET-450



can meet the different thickness of bread baking



Simple operation, can choose the number of bread baking



Jump up and down pressure bar, simple and convenient

多士炉 | Electric Toaster

- Antirust SS201 structure ensure longer life
- U-shaped heating tube provide more quick and evenly heat-up
- The design of front and back trays can be fully automatic bagging
- Heat sink can stabilize the internal temperature and prevent overheating
- Clear operation panel, simple and convenient

MODEL MET-300



MODEL ET-4




MODEL ET-6



热狗机 | Hot Dog Roller Grill

- Commercial quality stainless steel construction
- Non-stick rollers rotate 360 degrees for even cooking
- Cooks a variety of foods including franks, sausages, hot links and even breakfast sausages
- Removable and easy-to-clean stainless steel drip tray


型号/Model	电压/Voltage	No. of Rollers	功率/Power	尺寸/Size(mm)
HD-5	380V/ 50-60Hz	5	1KW	560*320*230
HD-7		7	1.4KW	560*385*200
HD-9		9	1.8KW	560*460*200
HD-5C		5	1KW	600*280*460
HD-7C		7	1.4KW	600*320*460
HD-9C		9	1.8KW	600*440*375
HDC-5		5	0.75KW	585*270*380
HDC-7		7	1.05KW	585*345*405
HDC-9		9	1.35KW	585*415*405
HDC-11		11	1.65KW	585*505*420



Quality switch can prolong the service life of the machine



Easily adjust the temperature 0-250°C



360° baking uniformly, attractive color



Can dissipate excess heat

MODEL HD-5



MODEL HD-7C



MODEL HDC-7



热狗面包机 | Hot Dog Bun Warmerr

- Made of durable,easy care stainless steel
- With temperature controls holding 35-100 degress, it can cook,heat and hold freank furters and buns/bread rolls ready for customers
- Stainless steel bun warmers
- Brand now in box, no servicing and no installation required, just plug in and start to service
- Wet heat stainless pot



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
HDW-1	220-240V/50-60Hz	0.45	320*290*410
HDW-2		0.55	390*290*410
HDW-3		0.6	540*290*410
HDW-4		0.65	540*290*410
HDW-6		0.75	660*290*410
HDW-H4		0.2	305*300*315

MODEL HDW-H4



MODEL HDW-1



MODEL HDW-2



MODEL HDW-3



MODEL HDW-4



MODEL HDW-6



华夫机

Commercial Waffle Maker



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CB-1	220-240V/50~60Hz	1	255*380*270
CB-2		1+1	520*380*270
WF-2207		1	255*380*270
WF-2207-2		1+1	520*380*270

MODEL CB-2



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WFR: Reversible WF-D: Digital control panel CE RoHS

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-1	220-240V/50~60Hz	1	250*320*260
WF-2		1+1	520*380*270
WF-6	220-240V/50~60Hz	1.4	225*420*290
WF-6D		1.1	500*250*260
WFR-1	220-240V/50~60Hz	1.3	538*250*313
WFR-2S		1.3+1.3	1076*250*313
WF-1RH	220-240V/50~60Hz	1.3	538*250*313
WF-1RHS		1.3	538*250*313

MODEL WFR-1



MODEL CB-1



MODEL WF-2207-2



MODEL WF-6



MODEL WF-6D



MODEL WF-1



MODEL WF-2



MODEL WF-1RHS



MODEL WF-1RH



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WF-D: Digital control panel



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-2206	220-240V/50~60Hz	2	445*345*240
WF-2207D		2.2	320*490*270
WF-2203		1.75	410*305*240
WF-7XC		1.75	410*305*240
WF-10		1.55	390*340*245



MODEL WF-2203



MODEL WF-2207D



MODEL WF-7XC



MODEL WF-10



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

MODEL WF-2212



MODEL WF-115



WF-D:Digital control panel WF-J:Mirror



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-2210	220-240V/50~60Hz	1.5	300*380*270
WF-2210-2		1.5+1.5	620*371*250
WF-115		1.5	450*390*270
WF-2212		1.75	250*355*235

MODEL WF-2210



MODEL WF-2210-2



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WF-J:Mirror



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-007J	220-240V/50~60Hz	1.1	260*400*200
WF-009J		0.9	290*420*180
WF-215		1.5	310*440*235
WF-113		1.55	390*340*245
WF-114		1.55	390*340*245

MODEL WF-009J



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WF-J:Mirror



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-2209	220-240V/50~60Hz	1.75	410*305*240
WF-2211		1.5	330*390*260
WF-117		1.55	360*340*245
WF-118		1.55	390*340*245
WF-216		1.5	390*340*245
WF-219		1.5	390*340*245

MODEL WF-2209



MODEL WF-007J



MODEL WF-113



MODEL WF-2208



MODEL WF-117



MODEL WF-215



MODEL WF-114



MODEL WF-118



MODEL WF-216



MODEL WF-219



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WF-D:Digital control panel WF-J:Mirror



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-210	220-240V/50~60Hz	1.55	360*340*245
WF-223		1.55	390*340*245
WF-228		1.55	390*340*245
WF-5DM	220-240V/50~60Hz	1.5	360*330*245
WF-6DM		1.5	360*330*245
WF-12DM		1.5	360*330*245
WF-002J	220-240V/50~60Hz	1.55	470*255*160



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-11	220-240V/50~60Hz	1.75	410*305*240
WF-14		1.75	410*305*240
WF-2240		1.75	450*350*280
WF-2247		2.6	320*320*240
WF-2248		1.75	310*370*245



MODEL WF-223



MODEL WF-228



MODEL WF-2240



MODEL WF-14



MODEL WF-5DM



MODEL WF-12DM



MODEL WF-2247



MODEL WF-2248



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-25	220-240V/50-60Hz	0.85	375*300*170
WF-36		1	485*395*240
WF-50		3	550*600*180
WF-100		3	670*670*220
WF-2248A		0.85	320*340*180
WF-2245		0.85	375*300*170
WF-2246		3	550*600*180

MODEL WF-36



MODEL WF-315



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-315	220-240V/50-60Hz	1.4	350*390*190
WF-442		2	350*525*307
WF-445		2	500*400*230
WF-1110		1.4	380*380*260
WF-1110D		1.5	380*380*260

WF-D:Digital control panel

MODEL WF-1110D



MODEL WF-442



MODEL WF-25



MODEL WF-50



MODEL WF-100



MODEL WF-2248A



MODEL WF-2245



MODEL WF-2246



MODEL WF-1110



MODEL WF-445



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
WF-1114	220-240V/50~60Hz	1.4	380*380*260
WF-1114D		1.5	380*380*260
WF-443		1.5	380*380*260
WF-443D		1.5	380*380*260

WF-D:Digital control panel

MODEL WF-1114



MODEL HT-1114D



MODEL WF-443



MODEL WF-443D



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.



WF-D:Digital control panel

型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
WF-1103A	220-240V/50~60Hz	1.5kW	380*380*260
WF-1103A-D		1.5kW	380*380*260
WF-1103B		2kW	440*425*285
WF-G220		1.4kW	490*490*340
WF-2262		1.6kW	685*350*180

MODEL WF-1103A-D



MODEL WF-1103A



MODEL WF-1103B



MODEL WF-G220



MODEL WF-2262



华夫机 | Waffle Maker

- Non-stick cooking grids form perfectly cooked waffles in diameter without batter sticking.
- Temperature adjusts between 50°C and 300°C to keep up with high-demand.
- Cooking grids open 90 degrees for easy product removal.
- Green power light indicates the unit is on; Orange light indicates pre-heating.

WF-D:Digital control panel



型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
WF-1101A-D	220-240V/50-60Hz	3kW	380*550*260
WF-1101A		3kW	380*550*260
WF-1106		1.5kW	380*380*260
WF-1106D		1.5kW	380*380*260
WF-1109		3kW	600*380*300

MODEL WF-1101A-D



MODEL WF-1106



MODEL WF-1106D



MODEL WF-1101A



MODEL WF-1109



棉花糖机 | Candy Floss Maker

MODEL ECF-520

- Stainless Steel heating tube provide more quick heat-up
- Antirust stainless steel 201 structure ensure longer life
- Stainless steel tray is large and strong to prevent the sugar wire from being turned out
- Stainless steel sugar spoon, convenient to put sugar, safe and sanitary



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
ECF-520	220-240V/50-60Hz	1.08	520*520*500
ECF-520C		1.08	520*750*910




MODEL ECF-520C



Use simple and convenient switches, control whatever you want



High-efficiency motor, stable speed, high working efficiency



Can dissipate excess heat

爆米花机 | Popcorn Maker

- Antirust stainless steel 201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Explosion-proof glass door is detachable, with good light transmission, high temperature resistance and sanitation



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
PC-801	220-240V/50~60Hz	1.4	500*360*680
PC-802		1.45	560*420*750
PC-06B		1.35	500*360*680
PC-08B		1.35	500*400*710
PC-808A		2.9	860*420*730
PC-803		1.4	920*370*1530
DH-11		0.4	450*450*570

MODEL PC-802



PC-06B



PC-808A



DH-11



Easy to use and simple to operate



Can keep warm and show the food best looking



Rotate to heat the corn evenly to increase the blasting rate


MODEL PC-803



保温汤池

Electric

Bain Marie



保温汤池 | Electric Bain Marie

- Cook and preserve the product at a food-safe temperature.
- Durable stainless steel food well.
- Reheat food and keep it fresh.
- GN Pan with different sizes.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
BMH-1	220-240V/50-60Hz	0.15	235*210*320
BMH-2		0.3	235*415*320
BMH-3		0.45	235*620*320
BMH-4		0.6	420*415*320
BM-S2		1.2	577*340*240

MODEL BMH-4



BMH-1



BMH-2



BMH-3



5 levels adjustable temperature thermostat



Easy to clean the residual water



Waterproof heating, heat preservation faster and more uniform


MODEL BM-S2



MODEL BM-1/1



OPTION



BM-1/6



BM-N



BM-W

保温汤池 | Electric Bain Marie

- Cook and preserve the product at a food-safe temperature.
- Durable stainless steel food well.
- Reheat food and keep it fresh.
- GN Pan with different sizes.



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
BM-1/1	220-240V/50-60Hz	1.2	577*340*240
BM-1/2			577*340*240
BM-1/3			577*340*240
BM-1/4			577*340*240
BM-1/6			577*340*240
BM-2T		1.5	355*565*240
BM-4T		1.5	685*565*240
BM-6T		1.8	1030*565*240
BM-8T		2	1375*565*240
BM-N		1.2	577*340*240
BM-W		1.2	577*340*240



Thermostat has stainless steel anti-collision protection



Quality switch can prolong the service life of the machine



Different size of GN Pan

MODEL BM-4T



MODEL BM-6T




保温汤池 | Electric Bain Marie

- Cook and preserve the product at a food-safe temperature.
- Durable stainless steel food well.
- Reheat food and keep it fresh.
- GN Pan with different sizes.



OPTION



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
BM-3	220-240V/50~60Hz	1.5	925*350*320
BM-4			1205*350*320
BM-5			1470*350*320
BM-6		1.8	1740*350*320
BM-7			2005*350*320
BM-3D		1	950*365*330
BM-4D			1215*365*330
BM-5D			1485*365*330
BM-6D			1750*365*330

型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)	盆数/GN pans
BM-M20-4	220-240V/50~60Hz	1.3kW	1175*460*700	4X
BM-M20-5		1.8kW	1450*460*700	5X
BM-M20-6		1.8kW	1725*460*700	6X
BM-M21-3		1.3kW	1080*660*700	3X
BM-M21-4		1.8kW	1415*660*700	4X
BM-M21-5		1.8kW	1750*660*700	5X
BM-M21-6		1.8kW	2085*660*700	6X



Class Cover Baffle Protect food safety and hygiene



Water Tap Easy to drain and clean



Digital temperature display Smart display temperature

MODEL BM-5



MODEL BM-M20-4



MODEL BM-3D



保温汤池 | Electric Bain Marie

- Glass shelf and cabinet
- Overall stainless steel structure
- Adjustable feet
- GN pans: 1/1x150mm

OPTION



MODEL BM-M01-4



MODEL BM-M05-4



MODEL BM-M09-4



N=BM-M01 / BM-M02 / BM-M03 / BM-M04

型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)	盆数/GN pans
N-3	220V/50Hz	2kW	1120*670*800+600	3X
N-4		2kW	1455*670*800+600	4X
N-5		2kW	1790*670*800+600	5X
N-6		3kW	2125*670*800+600	6X



MODEL BM-M02-4



MODEL BM-M03-4



MODEL BM-M04-4



保温汤池 | Electric Bain Marie

- Cabinet and pipe shelf
- Overall stainless steel structure
- Four casters 100mm dia. with 2 brakes
- With double side pipe shelf



型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)	盆数/GN pans
BM-M10	220V/50Hz	2kW	1450*1240*870	a1
BM-M11		2kW	1100*1240*815	a2
BM-M12		2kW	1780*1240*840	a3
BM-M13		3kW	2125*1240*815	a4

a1=2x(1/1x150mm) + 4x(1/2x150mm) a2=2x(1/1x150mm) + 2x(1/2x150mm)
a3=4x(1/1x150mm) + 2x(1/2x150mm) a4=4x(1/1x150mm) + 4x(1/2x150mm)

OPTION



BM-M11



BM-M12



BM-M13

MODEL BM-M10



保温汤池 | Electric Bain Marie

- Abinet and Lamps
- Overall stainless steel structure
- Adjustable feet
- GN pans: NX(1/1x150mm)

MODEL BM-M07



MODEL BM-M08




型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)	盆数/GN pans
BM-M07	220-240V/50-60Hz	4KW	1500*1400*850+700	b1
BM-M08	220-240V/50-60Hz	3KW	1600*800*850+700	b2

b2=8x(1/1x150mm) b2=2x(1/1x150mm) + 4x(1/2x150mm)

巧克熔化机 | Chocolate Melter

- Stainless steel 201 structure ensure longer life
- Stainless steel heating tube provide quick heat-up
- Digital display panel, more scientific and fashionable
- Can realize automatic constant temperature
- Thick high-quality chocolate pan, humanized design

OPTION



型号/Model	电压/Voltage	功率/Power	容量/Capacity(L)	尺寸/Size(mm)
CMM-4L	220-240V/ 50~60Hz	0.8kW	14-20 knives	355*203*292
CMM-17L2			1.7L*2 =3.4L	
CMM-8LM	220-240V/ 50~60Hz	1kW	8L	385*353*292
CMM-4L2M			4L*2=8L	
CMM-74L			4L*1+1.7L*2=7.4L	
CMM-17L4M			1.7L*4=6.8L	
CMM-8LD	220-240V/ 50~60Hz	1kW	8L	385*353*292
CMM-17L4D			1.7L*4=6.8L	385*353*292
CMM-4L3D			4L*3=12L	565*353*292
CMM-16LD			6L*1+2.5L*4=16L	565*353*292

MODEL CMM-17L4M



MODEL CMM-8LD



MODEL CMM-4L




MODEL CMM-17L2



巧克力融化机 | Chocolate Melter

- Stainless steel 201 structure ensure longer life
- Stainless steel heating tube provide quick heat-up
- Digital display panel, more scientific and fashionable
- Can realize automatic constant temperature
- Thick high-quality chocolate pan, humanized design

OPTION



型号/Model	电压/Voltage	功率/Power	容量/Capacity(L)	尺寸/Size(mm)
CMM-1QH	220-240V/ 50~60Hz	0.5kW	12KG	465*355*260
CMM-2QH			6KG*2=12 KG	465*355*260
CMM-4QH			3KG*4	465*355*260
CMM-1QD	220-240V/ 50~60Hz	1kW	8KG	485*360*180
CMM-2QD				
CMM-4QD			12KG	665*360*180
CMM-3QD				
CMM-5QD				
CMM-6QD				
CMM-01	220-240V/ 50~60Hz	0.04kW	1KG	230*170*110
CMM-02		0.04+0.04(kW)	1KG+1KG	350*230*110



MODEL CMM-8LM



MODEL CMM-2QD



MODEL CMM-02



汤堡 | Electric Soup Kettles

- Stainless Steel heating tube** provide more quick heat-up
- Convenient lifting ring** design smooth edges without cutting hands, safer lifting
- Large capacity of 10 liters**, durable, attractive and easy to clean
- Red light** indicates heating
- Non-skid rubber feet** prevent slipping

MODEL SK-13



型号/MoAdel	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
SK-10	220-240V /50~60Hz	0.4kW	10L	340*340*370
SK-10S				
SK-13		0.6kW	13L	

MODEL SK-10



MODEL SK-10S





Easily adjust the temperature 35-80 °C



Hanging upside down on the side saves time and space



Convenient and fast
Not afraid of falling onto the pot

酱汁保温机 | Sauce Cheese Warmer

- **Body material SS430**,bowl material SS304 structure ensure longer life
- **U-shaped heating tube** provide more quick and evenly heat-up
- Work as an ideal dispenser for **Caramel, Chili , Sauce, Gravy and warming cheese etc**
- Cook and preserve the sauce at a regular temperature



型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
CW-4.4B	220V-240V/50Hz	0.5kw	206*394*382
CW-4.4A		0.5kw	230*420*388
SW-1A		0.2kw	165*220*220
SW-2A		0.4kw	300*220*220
SW-3A		0.6kw	435*220*220
SW-4A		0.8kw	570*220*220



SW-2A



SW-3A



SW-4A



6 levels heating power adjustable:35℃/51℃/63℃/74℃/85℃/99℃

Simple operation, better control of the number of copies

Eensures that the sauce is hot from start to finish

MODEL CW-4.4B



酱汁保温机 | Sauce Cheese Warmer

- **Stainless Steel heating tube** provide more quick heat-up
- Antirust **stainless steel 201** structure ensure longer life
- **Non-skid rubber feet** prevent slipping
- Small appearance, high-end, practical
- When the body is heated, the bottom of the machine is not hot.



型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
CW-Q1	220-240V/50~60Hz	0.6kW	230*270*390
CW-Q2		1.2kW	445*270*390
CW-Q3		1.8kW	650*270*390

MODEL CW-Q3



MODEL CW-Q1



MODEL CW-Q2



酱汁泵 | Condiment Dispenser

- Antirust **stainless steel 201** structure ensure longer life
- **Non-skid rubber feet** prevent slipping
- **Fixed pump** head can effectively prevent leakage
- **Large capacity**, enough seasoning can be put in at one time
- Can be used in sauces such as soy sauce, vinegar, tomato sauce, chocolate sauce, salad dressing, etc.

型号/Model	容量/Capacity(L)	尺寸/Size(mm)
MCD-1	3	180*180*390
MCD-2	3x2	360*180*390
MCD-3	3x3	540*180*390

MCD-1



MCD-2



MCD-3



MODEL CW-6



薯条工作站 | French Fry Warmer Station

- U-shaped heating tube provide more quick and evenly heat-up
- Antirust stainless steel 201 structure ensure longer life
- Automatic constant temperature accurate temperature 40-70°C,keep food warm and no water loss
- Non-skid rubber feet prevent slipping



型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
CW-1/1	220-240V/50~60Hz	0.6kW	340*570*437
CW-560		0.8kW	700*600*700
CW-6		0.55kW	600*700*1650
801	/	/	520*375*140
802		/	520*490*140

MODEL 801 French Fries Slot



MODEL CW-560



MODEL CW-1/1



食物保温灯 | Food Heat lamp

- High-quality electroplating lampshade, sturdy and durable, high temperature resistance, no deformation
- Long-lasting heat preservation, lock in the original flavor
- Stainless steel U-shaped chassis, not easy to rust, hygienic and healthy
- Can enhance the food display effect, and at the same time play a role of sterilization



型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
CW-250	220-240V/50~60Hz	0.25kw	490*370*280
CW-500		0.5kw	490*352*675
CW-750		0.75kw	740*335*790
型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
CW-800	220-240V/50~60Hz	1.1kw	570*840*460
CW-850		1.35kw	570*840*460
CW-900		1.6kw	570*1100*460
CW-B10076	220-240V/50~60Hz	1.2kw	800*500*620
CW-B10076-1		1.2kw	800*500*620


MODEL CW-850



MODEL CW-500



MODEL CW-800



MODEL CW-B10076



MODEL CW-B10076-1



型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
FDW-1P	220-240V/50~60Hz	0.6kW	350*350*520
FDW-1PD		1.2kW	670*360*520
FDW-2P		0.8kW	660*460*600
FDW-3P		1kW	950*460*600
FDW-4P		1.6kW	1240*460*600
FDW-2PS		0.8kW	660*460*600
FDW-3PS		1kW	950*460*600
FDW-4PS		1.6kW	1240*460*600

食物保温柜 | Food Warmer



- Stainless Steel heating tube provide more quick heat-up
- Antirust SS201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Use highly transparent toughened glass, high temperature resistance, high impact resistance.
- Separate from temperature, easy to control independent light switch.
- Interior lighting show the best state of food.



FDW-3PS



FDW-2P

型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
FDW-701	220-240V/50~60Hz	1kW	380*450*590
FDW-702		1.5kW	660*450*590
FDW-703		1.8kW	890*450*590
FDW-704		2kW	1200*450*590
FDW-604		0.8kW	380*490*645
FDW-601		1.2kW	660*490*645
FDW-602		1.5kW	900*490*645
FDW-603		2kW	1200*490*645

食物保温柜 | Food Warmer

- Stainless Steel heating tube provide more quick heat-up
- Antirust SS201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Use highly transparent toughened glass, high temperature resistance, high impact resistance.
- Separate from temperature, easy to control independent light switch.
- Interior lighting show the best state of food.



MODEL FDW-704



MODEL FDW-602



MODEL FDW-604



慢煮机 | Sous Vide

- Antirust stainless steel 201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Stainless steel motor cover has high pressure resistance and damage resistance, protecting the motor from damage
- Thickened main body and base firmly support the entire machine



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
SV-03A	220-240V/50~60Hz	1.5kw	/	140*110*332



MODEL SV-03A

保温餐车 | Food Warmer Trolley

- Easy-to-open, solid door maximizes access to food while minimizing ambient heat
- Adjustable universal slides accommodate full size sheet pans and full size steam table pans
- 10 adjustable temperature settings help keep cooked food at an optimal temperature before serving
- Fast, powerful warmup and recovery through a thermostatically controlled, forced air heating system



型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
FW-5S	220-240V/50~60Hz	2.6kw	790*970*1350
FW-10S		2.6kw	1500*970*1000
FW-11S		2.62kw	790*975*1795
FW-22S		5.24kw	1540*975*1795



MODEL FW-5S

MODEL FW-22S



MODEL FW-11S



暖杯/暖碟机 | Cup / Plate warmer

型号/MoAdel	电压/Voltage	功率/Power	尺寸/Size(mm)
MCW-1	220-240V/50-60Hz	0.14kW	360*250*550
MCW-2		0.15kW	360*320*550
PW-60	220-240V/50-60Hz	0.6kW	390*560*770
PW-120		1kW	600*560*770
PW-101	220-240V/50-60Hz	0.4kW	450*485*930
PW-102		0.8kW	450*910*930

MODEL PW-102



MODEL MCW-1



MODEL PW-60



MODEL PW-120



燃气烧烤炉 | Gas Shawarma Grill

- **Stainless steel material** which is safe and rustproof; Easy to use and convenient
- **High-performance Motor** Brings Uniform Baking
- **Skewer** can rotate left and right
- **Plastic handle** to avoid scratches
- **Inbuilt drip tray** keeps machine clean and mess-free



型号/Model	压力/Pressure	旧燃气/Used Gas	尺寸/Size(mm)
GS-2S	2800/2000Pa	LPG/ Natural Gas	295*300*490
TGS-4			680*660*1870
GSG-800			525*630*800
GSG-950			525*630*950
GSG-1050A			525*630*1050

MODEL GSG-800



MODEL GSG-950



MODEL GS-2S



MODEL TGS-4



MODEL GSG-1050A



切片机 | Kebab Slicer



KS-100C



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Knife Size
KS100E	220-240V/50-60Hz	80	100mm
KS100T		80	100mm
KS100C		/	100mm

开水器 | Water Boiler

- Multi-stage temperature control, free adjustment of water temperature
- Rapid boiling, heating in the whole chassis, meeting commercial needs
- Overheating protection, automatically power off if the temperature is too high
- Long-term heat preservation can save energy and electricity
- Large capacity for drinking water for many people

MODEL WB-15LD



MODEL WB-10S



型号/Model	电压/Voltage	功率/Power	容量/Full Capacity(L)	尺寸/Size(mm)
WB-6LD	220-240V/ 50-60Hz	1500w	6/7	230*230*420
WB-7LD		1500w	7/8	230*230*440
WB-8LD		1500w	8/9	230*230*472
WB-10LD		1500w	9/10	230*230*510
WB-15LD		2500w	14/15.5	290*290*485
WB-18LD		2500w	16/18	290*290*515
WB-22LD		2500w	20/22	290*290*580
WB-25LD		2500w	23/25	290*290*643
WB-8S		2500w	8	190*240*520
WB-10S		2500w	10	190*240*650

MODEL WB-8LD



MODEL WB-8S



咖啡机 | Coffee Maker

- Multi-stage temperature control, free adjustment of water temperature
- Rapid boiling, heating in the whole chassis, meeting commercial needs
- Overheating protection, automatically power off if the temperature is too high
- Long-term heat preservation can save energy and electricity
- Large capacity for drinking for many people



型号/Model	电压/Voltage	功率/Power	容量/Full Capacity	尺寸/Size(mm)
CB-8LS	220-240V/ 50~60Hz	950w	5.6L/8.9L	Dia.220xH:412
CB-9LS		950w	6.3L/9.7L	Dia.220xH:452
CB-10LS		950w	7.6L/10.9L	Dia.220xH:498
CB-11LS		950w	8.5L/11.8L	Dia.220xH:500
CB-18LS		1500w	12.7L/18.4L	Dia.290xH:452
CB-21LS		1500w	14.7L/21L	Dia.290xH:498
CB-25LS		1500w	19.3L/25.1L	Dia.290xH:558
CB-8LD	220-240V/ 50~60Hz	950w	5.1L/8.3L	Dia.290xH:420
CB-9LD		950w	5.7L/8.8L	Dia.220xH:437
CB-10LD		950w	6.9L/10L	Dia.220xH:472
CB-11LD		950w	7.8L/10.9L	Dia.220xH:504
CB-12LD		1500w	11.3L/12.9L	Dia.290xH:485
CB-19LD		1500w	13.8L/19.6L	Dia.290xH:517
CB-23LD		1500w	18.2L/23.7L	Dia.290xH:581
CFM-02C1	220-240V/ 50~60Hz	2020w	1.8L	205×405×455
CFM-02C2		1900w	2L	205×405×527.2
CFM-02C3		1900w	2.2L	405×205×605
CFM-2086		2020w	1.8L	205×405×455
CFM-0001		1900w	2.2L	405×205×605

MODEL CFM-02C2



MODEL CFM-2086



MODEL CFM-02C1




MODEL CFM-0001



煮面炉 | Pasta Cooker

- Antirust stainless steel 201 structure ensure longer life
- Stainless Steel heating tube provide more quick heat-up
- Cabinet is insulated to prevent heat dissipation
- Smoke exhaust pipe is located on the top of the machine. When opened, steam and smoke can escape
- laminated shelf size 395*320mm
- Distance between each shelves:11cm



型号/Model	电压/Voltage	功率/Power	数量/Baskets	尺寸/Size(mm)
EPC-4T	220-240V/50~60Hz	2x2	4	430*580*410
EPC-6T		2x2x2	6	600*580*410
型号/Model	压力/Pressure	旧燃气/Used Gas	数量/Baskets	尺寸/Size(mm)
GPC-4T	2800/2000Pa	LPG/Natural Gas	4	430*580*410
GPC-6T			6	600*580*410



EPC-4L-2



EPC-6T



EPC-16L

型号/Model	电压/Voltage	功率/Power	数量/Baskets	尺寸/Size(mm)
EPC-16L	220-240V/50~60Hz	2.8+2.8kw	8	550*485*405
EPC-8L		2.8kw	4	266*470*364
EPC-4L		2kw	2	175*400*305
EPC-4L-2		2x2kw	4	350*400*305

型号/Model	电压/Voltage	功率/Power	数量/Baskets	尺寸/Size(mm)
EPC-4	220-240V/50~60Hz	1.5x1.5kw	4	450*480*285
EPC-6		2x2x2kw	6	690*480*285
EPC-3A		6kw	3	400*700*500
EPC-6A		6kw	6	470*780*580

MODEL EPC-8L



MODEL EPC-6A



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
MS-1	220-240V/50~60Hz	80w	1L	190*160*530
MS-2		80w+80w	1L+1L	230*230*530
MS-1A	220-240V/50~60Hz	300w	1L	170*170*530
MS-2B		150w	1L	180*160*550



MS-2B



MS-1A

奶昔机 | Milk Shaker

- Antirust stainless steel 201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Stainless steel motor cover has high pressure resistance and damage resistance, protecting the motor from damage
- Thickened main body and base firmly support the entire machine



MS-1



MS-1



Smart induction design, install the cup, and start immediately. Automatically stop when the cup is removed.



360 ° stir evenly and double disc design make the mixing more quickly



Stainless steel material, environmentally friendly, healthy, easy to clean



Silicone cup holder, high strength

MODEL MS-2



刀叉消毒箱 | Knife Steriliser



- Using mirror polishing technology, bright can illuminate people, green and environmental protection
- UV lamp with metal mesh protection
- Wall-hung hole design, you can choose wall-mounted installation or table placement
- Stainless steel UV lamp sterilization knife box has good heat insulation effect and excellent energy saving performance

MODEL MKS-14



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
MKS-14	220-240V/50~60Hz	0.015kW	14-20L knives	510*160*600

腌制机 | Vacuum Tumbler

- Control panel with simple digital controls for smooth operation
- stainless steel body for exceptional strength and durability

MODEL VT-2D



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
VT-38	220-240V/50-60Hz	0.2	38L	750*410*815
VT-45	220-240V/50-60Hz	0.2	45L	860*460*935
VT-60	220-240V/50-60Hz	0.2	60L	890*490*1000
VT-2D	220-240V/50-60Hz	0.2	18L	620*307*465

MODEL VT-38



真空包装机
Vacuum Machine

- Metal case, high-grade and durable
- 3 sealing modes (dry, wet and manual), choose the modes based on your different types of food.
- Equipped with external vacuum pumping, it is available for bottle like wine.
- Rolling bag slot in vacuum sealer prevents the rolling bag from being dropped.
- Built-in cutter so you can create custom-sized bags without using scissors

MODEL DZ-260T



MODEL DZ-400T



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
DZ-260T	220-240V/50-60Hz	0.48	510*350*390
DZ-400T	220-240V/50-60Hz	0.9	550*490*550

MODEL DZ-400FD



MODEL DZ-400F



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
DZ-400F	220-240V/50-60Hz	1.4	550*490*970
DZ-400FD	220-240V/50-60Hz	1.4	550*490*970
DZ-500F	220-240V/50-60Hz	1.5	652*578*982

披萨炉

Electric

Pizza Oven





电披萨炉 | Electric Pizza Oven

- Stainless steel construction
- Temperature adjustable from 50-350℃
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EP-2PT	220-240V/50-60Hz	3	560*570*440
EP-2ST		3	560*570*440
EP-1ST		2	585*550*280
EP-1AT		2.5	496*490*350
KPZ-60M	220-240V/50-60Hz	3.6	635*640*411
KPZ-120M	380V/50-60Hz	4.7	838*740*411

MODEL EP-1ST



MODEL EP-2PT



MODEL KPZ-60M



电披萨炉 | Electric Pizza Oven

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
KPS-11	220-240V/50-60Hz	3.2	930*590*445
KPS-12		6.4	1160*795*445
KPS-22		6.62	930*590*825
KPS-24		13.2	1160*795*825
KPS-36		19.8	1160*795*1205
KPS-22	380V/50-60Hz	4.2	870*600*345



MODEL KPS-11



MODEL KPS-22



MODEL E01-1



MODEL KPS-24



MODEL KPS-36



链式电披萨炉
Hot Air Crawler Type Electric Pizza Oven



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
HP-13E	220V/50Hz	6.3	1390*1040*570
HP-19E		10.5	1700*1295*570
HP-33E		27.5	2190*1570*695
HP-13G		0.3	1390*1040*570
HP-19G		0.4	1700*1295*570
HP-33G		0.5	2190*1570*695

MODEL HP-13G



美式热风循环炉 | Convection Oven

- Stainless steel construction
- Temperature adjustable from 50-350℃
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick



MODEL CK10C



MODEL HP-33E



MODEL HP-33G



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CK05A	220-240V/50-60Hz	3	670*565*550
CK02A		3	670*565*550
CK06-60		3.5	636*640*614
CK06-95	220-240V/50Hz	4	840*745*644
CK06-120		6	840*785*744
CKF-60		4.7	636*645*571
CK10C		6	755*640*920

MODEL CK05A



MODEL CK06-60



MODEL CKF-60



美式热风循环炉 | Convection Oven

- U-shaped heating tube provide more quick heat-up
- Antirust stainless steel 201 structure ensure longer life
- Non-skid rubber feet prevent slipping
- Built-in high temperature resistant lighting, the food status is clearly visible, and it is convenient to check the food status.
- 360° heat dissipation to ensure collective heat dissipation and lengthen service life of the machine
- Double-layer tempered glass is crystal clear and translucent, high-strength insulation and improves thermal efficiency.
- Water inlet design is an auxiliary device with spray function, which helps food fermentation

MODEL EC01-1



MODEL EC04-35



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EC01-1	380V/50~60Hz	4.5	670*650*470
CO-2F	220~240V/50Hz	2.67	595*600*580
CO-8F	380V/50~60Hz	5.1	835*796*572
EC04-35	220~240V/50Hz	2	490*490*440
EC04-60		3	570*585*500
EC04-120	380V/50~60Hz	4	840*725*585

MODEL CO-2F



MODEL EC04-120



热风循环炉 | Convection Oven

- Stainless steel construction
- Temperature adjustable from 50-350 ℃
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EC01-E	220-240/50Hz	6	880*800*600
EC03D	220-240V/50~60Hz	2.5	670*650*395



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EC01C	380V/50~60Hz	4.5	670*650*470



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EC01F	380V/50~60Hz	4.5	590*650*560



MODEL EC01-E



MODEL EC03D



MODEL EC01C



MODEL EC01F




热风循环炉 | Convection Oven

- **Stainless steel material** which is safe and rustproof; Easy to use and convenient
- **High-performance Motor** Brings Uniform Baking
- **Skewer** can rotate left and right
- **Plastic handle** to avoid scratches
- **Inbuilt drip tray** keeps machine clean and mess-free



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CK03D	220-240V/50-60Hz	2.5	670*650*395
CK02C	220-240V/50Hz	4.5	675*640*500
CK02E		6	920*815*600



MODEL CK03D



MODEL CK02C



热风循环炉 | Convection Oven

- **Stainless steel material** which is safe and rustproof; Easy to use and convenient
- **High-performance Motor** Brings Uniform Baking
- **Skewer** can rotate left and right
- **Plastic handle** to avoid scratches
- **Inbuilt drip tray** keeps machine clean and mess-free



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CO-5DJ	380V/50-60Hz	7.5	905*1280*1570
CO-5DHJ			905*1280*1570




CO-5DJ



CO-5DHJ

电热风循环炉 | Electric Convection Oven

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CO-5D	380V/50-60Hz	7.5	905*1280*955
CO-5DH			905*1280*955



MODEL CO-5D



MODEL CO-5DH



CO-8D



CO-8DH

热气热风循环炉 | Gas Convection Oven

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CO-5QH	220-240V/50-60Hz	0.55	905*1450*955
CO-5Q			905*1450*955



Electric Convection Oven



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CO-8D	380V/50-60Hz	15	905*1280*1280
CO-10D			905*1280*1520
CO-8DH		15	905*1280*1280
CO-10DH			905*1280*1520

Gas Convection Oven

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
CO-8Q	220-240V/50-60Hz	1.1	905*1450*1280
CO-10Q			905*1450*1520
CO-8QH			905*1450*1280
CO-10QH			905*1450*1520

MODEL MF-COE/240-2



美式热风循环炉 | Convection Oven

- Precision temperature control, adjustment range 66℃-260℃
- Antirust stainless steel 201 structure ensure longer life
- 60 minutes timer reminder function
- Fully enamel inner chamber is easy to clean
- Two-speed motor speed 950-1437 rpm
- Professional ignition control module with hot surface ignition is safe and reliable
- Reversible control panel, easy and reliable maintenance
- Single layer use, or double layer stacking to make better use of space and increase productivity



MODEL MF-COE/240




Gas Convection Oven

型号/Model	电压/Voltage	功率/Power(kW)	BTU/H	尺寸/Dimension(mm)
MF-COE/240	220-240V/50Hz	10	54000	970*1130*1520
MF-COE/240-2		10	54000x2	970*1130*1750



燃气烤箱 | Gas Oven

型号/Model	电压/Voltage	气体类型/Gas Type	容量/Capacity(L)	尺寸/Size(mm)
GO-102QE	220-240V/ 50Hz	LPG/ Natural Gas	1 layer 2 tray	1350*920*680
GO-204QE			2 layers 4 trays	1340*920*1330
GO-306QE			3 layers 6 trays	1340*920*1750
GO-309QE			3 layers 9 trays	1810*970*1800



GO-102QE



GO-204QE



GO-306QE




GO-102QS



GO-204QS



GO-306QS



型号/Model	电压/Voltage	气体类型/Gas Type	容量/Capacity(L)	尺寸/Size(mm)
GO-101Q	220-240V/ 50-60Hz	LPG/ Natural Gas	1 layer 1 trays	1000*760*580
GO-102QS			1 layer 2 trays	1350*920*680
GO-103QS			1 layer 3 trays	1810*970*810
GO-202Q			2 layers 2 trays	1050*810*1200
GO-204QS			2 layers 4 trays	1340*920*1330
GO-206QS			2 layers 6 trays	1760*890*1330
GO-303Q			3 layers 3 trays	1340*920*670
GO-306QS			3 layers 6 trays	1340*920*1750
GO-309QS			3 layers 9 trays	1760*920*1750



电烤箱 | Electric Oven

- Stainless steel construction
- Stainless steel front panel
- Cool-touch door handle
- Independent chambers can be operated at different temperatures



型号/Model	电压/Voltage	功率/Power	容量/Capacity	尺寸/Size(mm)
GO-102QE	220-240V/50Hz	6.6kw	1 layer 2 trays	1350*920*680
GO-204QE		13.2kw	2 layers 4 trays	1340*920*1278
GO-206QE		16kw	2 layers 6 trays	1700*930*1295
GO-306QE		19.8kw	3 layers 6 trays	1340*920*1750
GO-309QE		24kw	3 layers 9 trays	1760*920*1750



GO-102QE



GO-204QE



GO-306QE



EO-102D



EO-204D



EO-306D

Electric Oven



Model	Voltage	Power(kW)	Capacity	Size(mm)
EO-101D	380V/50~60Hz	4.4	1 layer 1 tray	920*640*410
EO-102D		6.6	1 layer 2 trays	1220*850*580
EO-103D		8	1 layer 3 trays	1640*800*590
EO-202D		8.8	2 layers 2 trays	920*640*800
EO-204D	380V/50~60Hz	13.2	2 layers 4 trays	1220*850*1230
EO-206D		16	2 layers 6 trays	1640*850*1230
EO-303D		13.2	3 layers 3 trays	920*640*1100
EO-306D		19.8	3 layers 6 trays	1220*850*1645
EO-309D		24	3 layers 9 trays	1220*850*1230

醒发箱 | Electric Proofer

- Can put **3 layers of baking tray**
- Adjustable temperature 5-60℃
- Adjustable **humidity 50-99%**
- 2-stage **automatic fermentation** and water vapor atomization fermentation function
- Built-in water storage box

MODEL FH40



MODEL EP-13A



Model	Voltage	Power(kW)	No. of Trays	Size(mm)
EP-13A	220-240V/50-60Hz	2.6	13	490*690*1660
EP-16A			16	490*690*1800

型号/Model	电压/Voltage	功率/Power	数量/No. of Trays	尺寸/Size(mm)
FH60	220~240V/50Hz	0.55kW	8	636*647*870
FH120	220~240V/50Hz	0.55kW	8	838*745*830
FH40	220~240V/50Hz	0.3kW	3	490*490*506



MODEL FH60



MODEL EP-26A



Model	Voltage	Power(kW)	No. of Trays	Size(mm)
EP-26A	220-240V/50-60Hz	2.8	26	1000*690*1660
EP-32A			32	1000*690*1880

醒发箱 | Electric Proofer

- Can put 3 layers of baking tray
- Adjustable temperature 60~5℃
- Adjustable humidity 50-99%
- 2-stage automatic fermentation and water vapor atomization fermentation function
- Built-in water storage box



MODEL EP-18LC




型号/Model	电压/Voltage	功率/Power(kW)	数量/No. of Trays	温度/Temperature	尺寸/Size(mm)
EP-18LC	220-240V/50-60Hz	1.6	18	60--5℃	600*1015*2110
EP-36LC		1.8	36	60--5℃	800*1220*2110
EP-18LD		1.6	18	60--5℃	600*1015*2110
EP-36LD		1.8	36	60--5℃	800*1220*2110

多功能烤箱 | Multifunction Oven

- Stainless steel construction
- Temperature adjustable from 50-350℃
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick




型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EOA-81Y	3N~380V/50Hz	9	847*771*1060
EOA-10-MP		18	850*770*1050
EOA-10-CMP		18	850*770*1050
EOA-10-AC		36	850*770*1050



多功能烤箱 | Multifunction Oven

- Stainless steel construction
- Temperature adjustable from 50-350℃
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EOA-61-CMP	3N~380V/50Hz	19	850*770*785
EOA-61-AC		19	850*770*780
EOA-61-MP		18	850*770*780

多功能烤箱 | Multifunction Oven

- Stainless steel construction
- Temperature adjustable from 50-350 °C
- Fibreglass insulation
- Extremely heat-resistant
- Ideal for baking directly on the firebrick



EOA-61-MX



EOA-41-MX



EOA-51F



EOA-81F



型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
EOA-61-MX	3N~380V/50Hz	6	687*681*740
EOA-41-MX		6	687*681*642
EOA-51F		9	817*771*782
EOA-81F		9	817*771*1060

燃气旋转烤箱 | Gas Rotary Oven

- Room temperature~300 °C
- Neutral packaging
- Inner chamber rotating frame

型号/Model	电压/Voltage	功率/Power	尺寸/Size(mm)
GO-16Q	380V/50-60Hz	2.84kw	2290*1280*2420
GO-32Q	380V/50-60Hz	3.5kw	1902*2630*2535
GO-64Q		5.5kw	2073*3145*2535

MODEL GO-16Q



MODEL GO-32Q



MODEL GO-64Q



汉堡机 | Hamburger Machine

- Antirust stainless steel 201 structure ensure longer life
- Durable and fine workmanship, in line with international health standards
- Fast production, labor-saving and time-consuming
- Easy to clean, clean as new after cleaning

型号/Model	电压/Voltage	功率/Power(kW)	尺寸/Size(mm)
FY-212	220-240V/50~60Hz	2.4	/
HB-212		2	390*660*280
HB-211		0.8	390*430*280



MODEL HB-212



蒸饭柜 | Rice Cooker

- Product body material is 201 stainless steel
- Anti-dry burning water shortage device
- Thickness of Food tray :0.6mm

MODEL RS-6E



		RS-6E	RS-6G
电压/Voltage	V / HZ	220 / 50	220 / 50
功率/Power	W	8	/
尺寸/Food tray size	mm	600*400*48	600*400*48
规格/Dimension	mm	720*670*1050	720*670*1050
压力/Pressure	/	/	LPG gas



电磁炉 | Induction Cooker

- Thick stainless steel body, oil-resistant, temperature-resistant and high-load-bearing
- The pure copper coil heats evenly and the firepower is super fierce
- Intelligent imported electronic components, energy saving and power saving
- Black crystal glass surface, high temperature resistance, non-slip and wear-resistant

MODEL IC-35A



Model	Voltage	Power(kW)	Size(mm)
IC-1	220-240V/50~60Hz	3.5	350*430*105
IC-35A			350*450*145
IC-35B			350*450*155
IC-50A	220V/50Hz	5	380*500*200
IC-50B			380*500*200



MODEL IC-50B




www.hshotelproducts.com



Knob control, convenient operation



Can watch the temperature at any time



Can protect components and improve overall life

MODEL IC-1



Moon Star

电饭煲 | Rice Cooker

- Single-sided black non-stick liner: 1240g, liner material: aluminium
- White plate: 1200g
- Stainless steel shell: 0.4mm, inner: 0.5mm
- Includes rice spoon, measuring cup
- With ce certificate
- With energy saving switch



MODEL RC-20L



型号/Model	电压/Voltage	功率/Power(kW)	容量/Capacity	尺寸/Size(mm)
RC-10L	220-240V/50~60Hz	1.25	10L	425*363*351
RC-13L		1.35	13L	425*363*390
RC-16L		1.55	16L	484*422*375
RC-20L		1.95	20L	540*470*375
RC-25L		2.65	25L	540*470*414

立式砂锅烤炉

Vertical Four Burner Casserole Oven



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	12~18KW	1000*1100*800+450

大型锅炉

Large boiler for lamb meal



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	20KW	1000*1100*800+400

大小型炒菜机

Large and small stir fryer



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	15~20KW	1800*1000*800+450

双头炒菜机

Double-headed stir tryer



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	12~18KW	1800*1100*800+450

双头大锅炉

Two-headed cauldron cooker



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	20KW	2000*1100*800+450

立式四头煲仔炉

Vertical Four Burner Casserole Oven



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	3KW*4	800*850*800+150

油烟净化器

Net electric restaurant grease purifier



电压/Voltage	功率/Power	Handling air volume	尺寸/Size(mm)
380V/50Hz	0.3KW	6000m³h	840*640*610

铁板烧

Teppanyaki



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	15KW	1200*800*800+150

www.hsnhotelproducts.com

单头高背汤炉

Single high-backed short soup stove



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	12~18KW	700*750*450+800

双头高背汤炉

Double-headed high-backed short soup stove



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	12~18KW	1350*750*450+800

集成式油烟净化器

Integrated fume cleaning machine



电压/Voltage	功率/Power	尺寸/Size(mm)
220-380V/50Hz	1.82KW	2000*1200*950

摇摆式汤炉

Swinging Soup Oven



电压/Voltage	功率/Power	尺寸/Size(mm)
380V/50Hz	20KW	1550*1100*1150

Moon Star